


2.4G RF RGB+CCT LED Controller

with 6-zone Touch Screen remote control



Features:



Soft start, no power peak



Power off memory



Easy Installation



RF 2.4GHz, remote range nearly 30m



Remote control through internet, Compatible with wifi bridge





Vivid colors changing, 9 automatic changing programs



Two years warranty, CE, RoHS

DIMENSIONS:



Remote Control



Specifications:

- **Name:** 2.4G Wireless RGB+CCT LED Controller
- **Size:** 23.5x48x89mm
- **Input Voltage:** DC12-24V
- **Material :** PC
- **Max load per channel:** 6A
- **Total Output Current:** 15A max
- **Protection rate:** IP20
- **Working temp:** -20°C~60°C
- **Package:** 28x51x92mm/controller 20x57x135mm/remote
- **G.W.:** 0.06kg
- **Remote range:** 30m
- **Programs:** 9 kinds
- Common Anode
- Constant Voltage



Technical Data:

Remote	Size	18x55x130mm
	Working voltage	3V (AAAX2)
	Radio frequency	2400-2483.5MHz
	Modulation mode	GFSK
	Emission power	6db
	Standby power consumption	15uA
	Material	PC
controller	Size	23.5x48x89mm
	Working voltage	12V~24V
	Control way	R G B C W five channels
	Max load per channel	6A
	Output Connection	Common anode
	Programs	9 kinds


Connection &How to wire more:



Auto-transfer



Light Effect:



Package information:



Inner box (28x51x92mm)



100pcs a carton

G.W.:6.5kg

carton:290x300x210mm

